









Test Summary

Project Name	Miasto Zamosc
Benchmark Version	1.0.1.105
Completion Date	2025-10-28 21:47:34
Iterations	1
Scenarios Run	<div><div> Productivity</div><div> Creativity</div><div> Responsiveness</div></div>
Conditioning Run	True

Performance Scores

 <div>2567</div> <div>Overall Score</div>	 <div>2110</div> <div>Productivity</div>	 <div>3096</div> <div>Creativity</div>	 <div>2637</div> <div>Responsiveness</div>
Iteration 1	2110	3096	2637



System Information Comparison Table

System Info	This System	Calibration System
BIOS	American Megatrends Inc. 0803 8/30/2024	LENOVO M1UKT4EA 12/1/2019
Device Type	Desktop	Desktop
Identifier	AuthenticAMD AMD64 Family 25 Model 24 Stepping 1	GenuineIntel Intel64 Family 6 Model 158 Stepping 10
Motherboard	ASUSTeK COMPUTER INC. Pro WS WRX90E-SAGE SE	LENOVO 312D
CPU	AMD Ryzen Threadripper PRO 7995WX 96-Cores , 2501 MHz, 96 Core(s), 192 Logical Processor(s)	Intel(R) Core(TM) i5-8500T CPU @ 2.10GHz, 2112 Mhz, 6 Core(s), 6 Logical Processor(s)
CPU Architecture	X64	X64
Memory	512.00 GB, 8 Channel(s), 5600 MHz	8.00 GB, 1 Channel(s), 2667 MHz
Power Source	AC	AC
Drive 0	3726.02GB, Samsung SSD 9100 PRO 4TB, NVMe	238.47 GB, SAMSUNG MZ7LH256HAJD-000L7, Serial ATA (SATA)
GPU	NVIDIA RTX 6000 Ada Generation (version: 32.0.15.8142)	Intel(R) UHD Graphics 630 (version: 26.20.100.7372)
Screen Resolution	1920 X 1080	1920 X 1080
OS Type	10.0.26100.0	Microsoft Windows 10 Pro
OS Version	10.0.26100.6901	10.0.18363.418
Virtual Memory	543.49 GB Total, 526.96 GB Free	9.75 GB Total, 8.46 GB Free
Virtualization	Enabled in firmware	Enabled in firmware
Secure Boot	Secure Boot State On	Secure Boot State On
Tamper Protection	Disabled	Disabled
Windows Defender Antivirus	Not Applicable	Disabled
Windows Security Center	Enabled	Disabled
Power Policy	Balanced	CrossMark

Power Slider Overlay	Not Applicable	Not Applicable
Config Version	Not Applicable	
Virtualization-based security	Enabled	
Memory Integrity	Disabled	
License Type	Enterprise Version (485)	

BAPCo® Mission

Business Applications Performance Corporation (BAPCo) is a non-profit consortium with a charter to develop and distribute a set of objective performance benchmarks for personal computers based on popular computer applications and industry standard operating systems.

About The Calibration System

The calibration system is a system chosen as a reference point for all other CrossMark results. BAPCo chose the configuration above for its wide availability and its representation of a typical mainstream PC at the time of release of CrossMark.

CrossMark has been calibrated in such a way that a PC with performance equivalent to this calibration system for a given workload will have a performance rating of 1000. A system twice as fast as the calibration system on a given workload (or, equivalently, that responds in half the time on average) will have a performance rating of 2000. This is true for both overall ratings and scenario ratings.